



**Crown**

INTERNATIONAL

**SOLID  
STATE**

SS700



SS724

RECORDS AND PLAYS  
QUARTER TRACK STEREO  
\$895



SS724C

RECORDS AND PLAYS  
QUARTER TRACK STEREO  
AND PLAYS 2 TRACK STEREO  
\$920



SS722

RECORDS AND PLAYS  
TWO TRACK STEREO  
\$965



When You NEED



QUALITY AND VERSATILITY


Then YOU Need

PERFORMANCE

Speed	Rec-play Response	S/N	F+W
7 1/2	± 2db 50 - 25kc	54db	.09%
3 3/4	± 2db 30 - 15kc	50db	.18%
1 7/8	± 3db 50 - 10kc	45db	.30%

All SS700 models are professional quality equipment. This is the minimum long-term performance the customer can expect on the SS724 when using Scotch 202 type tape.

for Critical RECORDINGS



3 Speeds 7 1/2 - 3 3/4 - 1 7/8

3 Heads - erase record play

3 Motors - Crown patented  
electro-magnetic brakes  
never need adjusting

Standard 19" rack mount

Push Button Solenoid Control

Straight line threading

Automatic stop & 10" reels

All engraved lettering with  
synthetic Sapphire surface  
on front panel

Computer style Solid State Electronics


Plug in module for each separate  
circuit function

Hysteresis Synchronous drive motor

Timing accuracy 99.8%

MADE ONLY IN AMERICA





## SPECIAL FEATURES:

The automatic stop turns off the entire transport so the solid state electronics can be used as a stereo Control Center with response of  $\pm 0.25\text{db}$ , 10 to 100,000 cycles.

Five-inch VU Meters - No "small screen" squint.


Four position A-B switch allows monitor of:

1. Input level
2. Calibrated tape level
3. Playback output
4. Combined input plus playback for echo effects.



## SS702 MONO BROADCAST HALF-TRACK RECORDER

Same transport as stereo models but with special Solid State Monaural Electronics



## FEATURES EVERY BROADCASTER NEEDS:

Separate Headphone level control.  
Separate Front Panel mic input  
A-B switch gives quick comparison of source and recorded signals.

3rd Head Monitor  
5" VU Meter  
Simple Controls

COMPLETE SS700 SERIES OF PLAYERS ONLY AVAILABLE, for more information write:

## STEREO CONTROL CENTER

Outputs: + 0 dbm (0.73v.) unbalanced 600 ohm outputs plus monaural and stereo headphone jacks, and up to +18 dbm @ 600 ohm with SS-6 amplifier.

Inputs: Six per channel

Controls 1 & 4 are switched between (5000 ohm) unbalanced line or auxiliary inputs and with SS-2 either microphone or magnetic phono inputs.

Controls 2 & 3 have either unbalanced line (5000 ohm or 100 K with SS-13) or microphone inputs with SS-2.

Power: 230 Watts

Weight: 60 lbs.

Rack Space: 19" W. x 17 1/2" H. x 7 1/2" D.

## EXTRAS NEEDED FOR EXTENDED FACILITIES

CROWN SOLID STATE STEREO RECORDER MODEL		PRICE
Two SS-2	Two high gain preamps for stereo RIAA equ. magnetic phono or for two HiZ microphones. \$45.00/ea.	\$ 90.00
Two SS-13	For 100,000 $\Omega$ unbalanced line input. \$10.00/ea.	20.00
Four SS-2	Four high gain preamps for full four HiZ microphone facility and stereo RIAA phono equalization.	180.00
Two SS-6	Two line amps with 600 $\Omega$ +18 dbm output for LoZ stereo headphones.	50.00
LoZ-2	Two 50-200 $\Omega$ balanced mic inputs, two HiZ mic inputs, and two balanced 600 $\Omega$ line outputs - all cannon.	70.00
LoZ-4	Four 50-200 $\Omega$ balanced mic inputs, and two balanced 600 $\Omega$ line outputs - all cannon.	100.00
HAP	10 1/2" NAB Reel Adapters	10.00
X	Carrying Case	59.00
YOUR CROWN SOLID STATE RECORDER		TOTAL

Outputs: 0 level 600 ohm balanced and unbalanced with up to +18 dbm using SS-6 plug-in line amp.

Inputs: Single Channel 5000 ohm unbalanced bridging input or any of four other inputs with plug-in accessories

Speeds: 7 1/2 -- 3 3/4 -- 1 7/8

Power: 230 Watts

Weight: 57 lbs.

Rack Space: 19" W. x 15 3/4" H. x 7 1/2" D.

SOLID STATE RECORDER SS 702		PRICE	\$725.00
SS-2	Preamp for HiZ microphone	\$45.00	
SPMT	50-250 $\Omega$ plug-in mic input transformer	22.00	
SS-13	Preamp for 100,000 $\Omega$ line input	10.00	
SPBT	15K $\Omega$ bal. plug-in bridging transformer	22.00	
SS-6	0 to +18 dbm line amplifier	25.00	
HAP	10 1/2" NAB Reel Adapters	10.00	
X	Carrying Case	59.00	
YOUR CROWN SOLID STATE RECORDER		TOTAL	



**Crown INTERNATIONAL**

BOX 1000 • ELKHART, INDIANA 46517

DIVISION OF INTERNATIONAL RADIO & ELECTRONICS CORPORATION





**Crown**

INTERNATIONAL

**SOLID  
STATE  
SERIES**


SS700



MODEL	PRICE
-------	-------

SS702 - HALF TRACK monaural record play	\$725
---	-------

PANEL SIZE: 19" x 15-3/4"




SS722 - TWO TRACK stereo record play	\$965
--------------------------------------	-------

SS724 - QUARTER TRACK stereo record play	\$895
--	-------

SS724C - QUARTER TRACK stereo record play and TWO TRACK playback	\$920
---	-------


PANEL SIZE: 19" x 17-1/2"



SP 701 - Plays monaural FULL TRACK	\$425
------------------------------------	-------

SP 702 - Plays monaural HALF TRACK	\$405
------------------------------------	-------

PANEL SIZE: 19" 12-1/4"



SP722 - Plays monaural and stereo HALF TRACK 19" x 12-1/4"	\$505
---	-------

SP 724 - Plays monaural and stereo QUARTER TRACK 19" x 12-1/4"	\$465
---	-------

SP724C - Plays monaural and stereo in HALF and QUARTER TRACK 19" x 12-1/4"	\$490
---	-------

SP744 - Plays FOUR CHANNEL or any one or all of four channels 19" x 14"	\$750
--	-------

FEATURES 4 separate SS2 amplifiers. Outputs on all above 600 ohm unbalanced.

See brochure in back for complete information.